

CLIMATOLOGICAL DATA

SOUTH CAROLINA SECTION.

33

G. C. MERCHANT.

VOL. XXXVIII COLUMBIA, S. C., SEPTEMBER, 1935 No. 9

GENERAL SUMMARY.

Temperature averaged somewhat below normal, and rainfall again was considerably above the normal, for the State as a whole.

All portions had monthly amounts in excess of normal, except in extreme northwestern counties with a considerable deficiency. Wet, cloudy weather continued through the 12th, delaying cotton picking and fall harvesting, in general; however, fairly good progress was made the latter half of the month under generally fair conditions. Heavy rains on the 4th and 5th and again on the 10th and 11th flooded crops in lowlands in places. On the 5th during the northward passage of the tropical disturbance, strong winds considerably damaged crops on the coastal plain; much open cotton was blown on the ground, as well as corn, cane, pecans, hay and late truck. Wet, cool conditions the first part of the month were very favorable for increase in boll weevil activity in northern portion. Cotton picking and ginning became active the last two weeks, with but little interference in most places, and about 80 per cent of the crop had opened in southern portion, as the month closed; also, hay cutting, cane grinding, and other seasonal activities advanced favorably; tobacco curing was completed, with heavy sales, by the 30th, and pepper marketing in the eastern belt was begun. Some grain was sown, locally. Late vegetables, turnips, apples and pears were marketed. Fall truck crops made good growth, generally; pastures continued good to excellent throughout the month.

TEMPERATURE.

The monthly mean for the Section, determined from reports of 43 stations, was 73.2° , or 1.3° below normal. The highest temperature was 96° at Santuck, Union County, on the 22d. The warm periods were generally from the 4th to the 9th, on the 15th and 16th, from the 20th to the 24th and 27th to 29th, when the daily mean temperatures ranged from 5° to 11° above normal. The lowest temperature was 39° at Chester and Long Creek on the 30th. Cool periods extended from the 10th to the 13th, on the 17th and 18th and on the 30th, when daily mean temperatures ranged from 5° to 12° below normal.

PRECIPITATION.

The average for the Section, 56 stations reporting, was 5.38 inches, or 1.28 inches above normal. Monthly amounts were decidedly above normal in all sections, except in extreme northwestern portion where monthly amounts ranged from 4 inches to less than 1.50 inches; elsewhere, the range was from 4 inches to over 12 inches. Distribution was fairly regular. The greatest local monthly amount was 12.20 inches at Beaufort (near); least local monthly amount, 1.37 inches at Anderson. The greatest amount during any 24 hours was 5.00 inches at Pinopolis, Berkeley County, on the 4th and 5th. The average number of rainy days was 8, one more than the normal number.

Damage by Lightning.—On the 23d, early a. m., fire caused

by lightning destroyed the large barn of M. B. Huggins, near Timmonsville; included in the loss were 9 mules, 2 horses, several head of cattle, 1,500 bushels of oats and a large quantity of hay; total loss estimated at \$10,000. On same date, two small outhouses belonging to S. C. Kinon, near Dillon, were struck by lightning and destroyed, with loss of about \$300.

Damage and Injury by Tornadoes.—On the 5th, 3 a. m., a small tornado destroyed property at Chapin, valued about \$2,000; the width was about 50 yards, length one half mile, and traveled from the southeast; the Methodist Church, Derrick ginnery were damaged, and trees and electric wires were blown down. On 5th, 4 a.m., a small tornado occurred 3 miles west of Florence, with damage to fruit and pecan trees, and crops, estimated at \$300. On 5th, a. m., a small tornado was reported two miles from Dillon on Morris farm, demolishing 2 tobacco barns and damaging two more, with damage estimated at \$1,500. On 4th, 10:30 p. m., a tornado about 200 yards wide, occurred 6 miles east of Walterboro, blowing down dwelling of E. R. Smith, with loss estimated about \$2,000; Mr. Smith was painfully injured.

Damage by Hurricane.—On 5th, mostly during afternoon, the tropical disturbance on its northward passage from the west Florida Coast, considerably damaged property and crops in the coastal region; property damage was estimated at \$15,000 altogether, most of which was reported from the vicinities of Beaufort, Walterboro and Georgetown. Maximum wind velocities from 45 to 55 miles per hour were reported. Much cotton staple was blown on the ground, as well as corn, cane and other unharvested crops. Several persons were injured by falling trees.

RIVER CONDITIONS.

Stages averaged mostly near normal, except above normal at Rimini and Ferguson on the Santee River most of the month, with flood stages or slightly above. The Waccamaw River at Conway was slightly above flood stage from the 23d to 25th. However, no damage was reported on either the Santee or Waccamaw River. The Savannah River at Ellenton was somewhat above flood stage from the 7th to 9th; the total loss estimated at \$600, mostly due to suspension of business; value of property saved by warnings, estimated at \$2,000.

MISCELLANEOUS PHENOMENA (dates).

Fog (dense).—Catawba, 3; Columbia, 28; Kershaw, 3, 8; Landrum, 28; Santuck, 13; Winnsboro, 3.

Hail (light).—Walhalla, 22.

Halo—Solar: Charleston, 4, 21. *Lunar:* Charleston, 17, 22; Walhalla, 5.

PRESSURE, WIND, HUMIDITY AND SUNSHINE.

Stations.	Atmospheric pressure (reduced to sea-level)					Wind			Relative humidity			Percentage of sunshine	
	Mean	Highest	Date	Lowest	Date	Average hourly velocity	Maximum Velocity	Direction	Date	8 a. m.	12 noon	8 p. m.	
Asheville, N. C. . .	30.06	30.35	25	29.65	5	6.5	21	s. ne.	4	91	64	71	67
Augusta, Ga.	30.01	30.27	25	29.33	5	5.6	22	s.	5	83	55	73	68
Charleston, S. C. . .	30.00	30.25	25	29.50	5	11.4	47	s.	5	85	70	83	52
Charlotte, N. C. . .	30.05	30.36	25	29.53	5	5.9	21	n.w.	9	86	59	70	65
Columbia, S. C. . . .	30.03	30.32	25	29.32	5	6.8	20	s.e.	5	84	58	71	69
Savannah, Ga.	29.99	30.23	24	29.45	5	10.1	49	s.	5	91	70	86	50
Wilmington, N. C. . .	30.02	30.27	25	29.55	6	8.6	48	s.	5	88	65	83	66
Means and extremes . . .	30.02	30.36	25	29.32	5	7.8	49	s.	5	87	62	77	62

Climatological Data for September, 1935.

Stations	Counties	Elevation, feet	Length of record, years	Temperature, in degrees Fahr.					Precipitation, in inches					Number of days	Prevailing direction of wind	Observers			
				Mean	Departure from the normal	Highest	Date	Lowest	Greatest daily range	Total	Departure from the normal	Greatest in 24 hours	Total snowfall, unmeasured	With precipitation (0.01 in. or more)	Clear	Partly cloudy	Cloudy		
<i>Eastern Portion</i>																			
Beaufort (near) #‡	Beaufort	21	55	73.5	-1.8	90	29	60	30	22	12.20	+7.62	3.60	0	11	10	7	13	e.
Bishopville	Lee	224	2	82.7	88	121	51	30	26	7.19	3.02	0	10	20	3	7	ne.
Blackville	Barnwell	296	52	75.0	-0.9	93	121	55	125	29	5.26	+0.97	2.00	0	10	15	7	8	ne.
Charleston	Charleston	48	65	76.0	-0.6	90	7	62	30	17	5.53	+1.00	1.88	0	11	7	8	15	ne.
Cheraw	Chesterfield	144	54	72.6	-1.0	92	22	49	30	34	8.06	+4.31	2.03	0	8	e.
Conway	Horry	25	47	74.4	-0.6	93	7	54	30	28	6.97	+1.90	1.90	0	9	17	1	12	se.
Darlington	Darlington	175	41	73.8	-0.9	95	21	49	30	35	8.86	+4.23	2.34	0	11	13	9	8
Effingham	Florence	106	45	8.02	+3.44	2.22	0	8	
Estill	Hampton	110	75.1	95	7	52	30	32	5.17	1.86	0	10	17	1	12
Ferguson #‡	Orangeburg	63	50	74.0	-0.7	92	21	54	125	30	6.72	+2.50	2.48	0	11	17	11	2	ne.
Florence 1	Florence	136	54	72.8	-2.4	92	21	50	30	34	4.99	+0.68	2.60	0	9	9	13	8	ne.
Florence 2	do	136	21	6.98	+2.67	1.96	0	9	19	4	7	e.	
Garnett	Hampton	82	19	3.41	8.12	0	12	16	7	7	
Georgetown	Georgetown	14	39	71.2	-2.2	90	6	54	30	23	6.90	+2.19	1.90	0	12	16	7	7	ne.
Kingstree	Williamsburg	54	55	75.0	+0.1	93	7	52	30	31	5.30	+0.95	2.40	0	11	ne.
Marion	Marion	68	12	73.8	94	21	51	30	32	2.50	1.06	0	6	21	4	5	s.
Mars Bluff Bridge	Piñopolis	92	13	3.41	8.12	0	12	15	4	11	ne.	
Orangeburg	Rimini	264	21	73.3	-2.5	91	21	55	125	26	6.14	+1.62	1.87	0	6	se.
Rimini	Sünter	97	22	8.06	+3.37	5.00	0	7	se.	
Society Hill	Darlington	192	45	73.6	-0.1	95	21	49	30	35	9.00	+4.64	2.60	0	9	13	4	13	w.
Summerville	Dorchester	75	38	74.2	-1.3	91	6	56	25	29	7.13	+1.93	1.98	0	11	11	6	13	e.
Sumter	Sumter	169	14	73.7	-0.7	91	7	52	125	31	6.95	+2.72	2.07	0	11	6	17	7	ne.
Wedgefield	Sumter	249	45	73.2	-1.1	93	21	50	25	32	5.58	+1.40	2.40	0	8	19	4	7	ne.
Yemassee	Hampton	24	47	74.6	-1.2	91	7	54	25	31	7.75	+3.19	2.25	0	9	13	5	12	ne.
<i>Division means and extremes</i>		74.1	-1.2	95	7	49	30	35	7.00	-2.36	5.00	0	9	14	7	9	ne.
<i>Western Portion</i>																			
Aiken	Aiken	527	74	74.8	0.0	90	7	54	30	26	6.91	+3.31	2.39	0	8	sw.
Anderson	Anderson	704	43	73.0	-1.2	91	22	50	30	25	1.37	-2.01	0.61	0	5	22	1	7	s.
Blair's	Fairfield	293	21	6.70	+3.51	1.73	0	6	ne.	
Caesars Head	Greenville	3115	20	66.3	83	22	42	30	22	3.24	2.10	0	7	18	7	5	nw.
Calhoun Falls	Abbeville	508	37	73.8	-0.8	95	22	52	30	33	3.58	-0.28	2.20	0	5	16	9	5	e.
Camden	Kershaw	222	86	73.8	-0.5	95	22	49	30	30	6.97	+3.01	1.93	0	10	11	4	15	ne.
Catawba	York	562	30	5.24	+1.48	1.90	0	7	ne.	
Chappells	Newberry	402	31	5.59	+1.91	1.67	0	6	ne.	
Cherokee (near)	Spartanburg	758	8	70.9	92	121	43	30	33	2.42	1.12	0	5	23	2	5	sp.
Chester	Chester	487	17	71.8	-1.8	94	22	39	30	36	4.29	+0.26	2.00	0	4	9	14	7	s.
Clemson College	Oconee	850	44	73.8	+0.9	95	22	47	30	34	1.46	-2.60	0.61	0	5	15	4	11	sw.
Columbia	Richland	351	49	74.1	-0.4	93	22	55	30	25	4.65	-2.20	2.42	0	10	14	8	8	ne.
Crescent	Spartanburg	630	9	2.79	0.76	0	6	ne.	
Edgefield	Edgefield	550	23	4.86	+1.79	2.02	0	6	ne.	
Ellenton	Aiken	76	4	3.11	0.98	0	6	ne.	
Gaston Shoals #‡	Cherokee	680	33	2.65	-0.87	0.56	0	7	ne.	
Greenville	Greenville	1039	52	72.4	+1.8	94	22	51	30	27	2.01	-1.67	0.61	0	7	15	5	10	ne.
Greenwood	Greenwood	671	52	73.3	-0.1	95	22	50	30	26	4.65	+1.01	1.22	0	7	w.
Heath Springs	Lancaster	568	34	70.2	-3.2	91	22	46	30	28	6.02	+2.62	3.26	0	5	10	10	10	n.
Kershaw	Kershaw	500	20	72.2	-2.3	93	22	48	30	29	7.27	+3.46	3.16	0	9	19	4	16	e.
Landrum	Spartanburg	1063	21	71.9	-1.1	90	22	47	30	29	2.63	-2.10	0.98	0	4	20	5	5	se.
Laurens	Laurens	589	18	73.2	-0.6	95	22	48	30	32	3.89	-0.24	1.18	0	7	19	7	4	n.
Little Mountain	Newberry	711	43	74.8	0.0	95	22	52	30	26	6.73	+3.29	3.68	0	5	20	3	7	s.
Long Creek	Oconee	1000	2	68.3	91	122	39	30	35	1.60	0.67	0	6	17	8	5	ne.
Newberry	Newberry	502	32	72.7	-2.5	95	22	49	30	32	6.37	+2.92	2.57	0	6	18	3	9	w.
Pelzer	Anderson	850	52	1.60	-1.96	0.43	0	6	ne.	
Saluda	Saluda	536	34	74.6	0.0	94	22	52	25	32	5.09	+1.37	2.20	0	5	17	5	8	ne.
Santuck	Unige	512	43	73.0	-0.6	96	22	42	30	36	3.68	-0.02	1.89	0	6	14	10	6	ne.
Spartanburg	Spartanburg	824	59	72.2	0.0	93	22	48	30	30	2.06	-1.66	0.51	0	6	12	9	9	ne.
Trenton	Edgefield	620	43	ne.	
Walhalla	Oconee	1061	36	72.2	+0.5	94	121	42	30	35	1.68	-3.46	0.70	0	6	18	8	4	ne.
Winnisboro	Fairfield	545	42	72.8	-1.1	94	22	50	30	29	6.85	+3.23	4.05	0	8	10	13	7	ne.
Winthrop College #‡	York	690	36	72.2	-1.1	95	22	46	30	37	4.55	+1.14	1.80	0	7	16	7	7	ne.
<i>Division means and extremes</i>		72.4	-1.3	96	22	39	30	37	4.17	+0.45	4.05	0	6	15	7	8	ne.
<i>Section means and extremes</i>		73.2	-1.3	96	22	39	30	37	5.38	+1.28	5.00	0	8	15	7	8	ne.

The departures from the normal temperature and precipitation are computed only for such stations as have ten or more years of record, but all complete reports are used in determining section or division means. Reference letters (a, b, c), appearing in the table indicate number of days missing; for example, b represents two days missing, etc.

† Also on other dates. ‡ Received too late to be included in means and summaries. ** Temperature data are from observed readings of the dry bulb; means are computed from observed readings. § Post-office addresses of these stations are as follows: Of Gaston Shoals, Blacksburg; of Winthrop College, Rock Hill; of Ferguson, Eutawville; of Beaufort (near), Burton. T. Precipitation is less than 0.01 inch of rain or melted snow.

Daily Precipitation for September, 1935.

Stations	Drainage basins	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total
<i>Eastern Portion</i>																																	
Beaufort (near)	Coast	15	85	3,60	1,15	85	1,40	2,60	1,70	T.	25	15																			12.20		
Bishopville	Black	33	37	3,02						1,23	26	54																			7.19		
Blackville	Edisto	16	16	1,02	2,00					20	05	45	21	T.																5.26			
Charleston***	Coast	27	T.	91	1,88	T.	24	2,61	1,35	10	T.	19	01																5.53				
Cheraw	Pee dee	68	83	2,03						58	1,48	66																		8.06			
Conway	Waccamaw	T.	48	1,90					47	T.	1,32	80	05																8.66				
Darlington	Pee dee	52	73	1,80					T.	1,60	52	02																	8.17				
Effingham	Lynches	74	1,85	2,22					71	1,90	92																		8.02				
Estill	Savannah	15	58	1,86					13	98	55	62	10																5.17				
Ferguson	Santee	1,00	47	2,48	12				85	47	48	26																	6.72				
Florence 1	Pee dee	2,00							T.	1,64	59	36	06																4.59				
Florence 2	do	1,10	35	1,96					T.	1,16	74	03																	6.98				
Garnett	Savannah																																
Georgetown	Coast	18	71	69	42	51	37	77	20																				6.99				
Kingstree	Black	15	82	2,40					08	29	35	43																	5.30				
Marion	Pee dee								1,06	53	36																		2.50				
Mars Bluff Bridge	do	95	1,17	3,41						92	1,18																		8.42				
Orangeburg	Edisto	35	1,82	1,87					08	01	25	12																	6.14				
Piney Point	Cooper	10	50	5,00						2,00	36																		8.06				
Rimini	Santee	30	80	3,52					10	2,70	30																		8.42				
Society Hill	Pee dee	57	95	2,60						50	1,65	1,05	07															9.60					
Summerville	Ashley	73	45	1,98					51	1,73	10	1,28	05	01					T.	10								7.13					
Sumter	Wateree	23	60	2,07	86				T.	68	36	32							11									6.95					
Wedgewood	do	48	39	2,40						85	40	15																	5.58				
Yemassee	Ashepoo	87	1,45	2,20					35	39	2,25	05								26	02								7.75				
<i>Western Portion</i>																																	
Aiken	Edisto									78	2,39	13	49																	6.91			
Anderson	Savannah	30	14							61	05	27																		1.37			
Blairsville	Broad	17	72	1,38	10					45	1,73	32																	6.70				
Caesars Head	Saluda	27	2,10	2,33	03					51	02	08																	3.24				
Calhoun Falls	Savannah	59	42	2,33						2,20	14																		3.58				
Camden	Catawba	50	76	1,90						95	47	56																	6.97				
Catawba	Chappells	90	1,67	70						75	1,17	40																	5.24				
Cherokee (near)	Broad	04	64	38						1,12	24																		2.42				
Chester	do	76	1,28							2,00	25																		4.29				
Clemson College	Savannah	14	11						61	38	22																		1.46				
Columbia***	Congaree	23	04	2,39					T.	28	1,55	77	03															5.65					
Crescent	Enoree	72	76	24						40	35	32																	4.86				
Edgefield	Savannah	20	10	2,12						42	70	32																	3.11				
Ellenton	Savannah	97	49	98						23	19	25																	2.65				
Gaston Shores	Broad	41	56	14						43	38	50																	2.02				
Greenville	Saluda	19	54	07						54	24	34																	4.65				
Greenwood	do	90	60	45						93	1,22	50																	6.12				
Heath Springs	Wateree	38	3,26							1,55	42																		7.27				
Kershaw	Lynches	28	+2	3,16						79	1,22	74	04															2.63					
Landrum	Broad	45	98	23						97																			3.89				
Laurens	Saluda	31	41	1,18	02					78	11	37																6.73					
Little Mountain	Saluda	36	3,68							2,10	16	43																	1.60				
Long Creek	Savannah	43	18							67	09	07																6.37					
Newberry	Saluda	83	13	2,57						2,46	18	20																1.60					
Pelzer	do	7	34	18	12					43	32	21																5.09					
Saluda	do	85	1,70							7	12	10																3.68					
Spartanburg	Broad	02	34	1,89						6	12	09	22															2.06					
Trenton	do	14	45	11						51	40	45																1.68					
Walhalla	Savannah	66	32							70	16	08																6.85					
Wintonboro	Broad	49	154	05	03					1,75	13	27															4.55						
Wintonthrop College	Catawba	33	23	1,80	05					1,78	15	21																					

Except as otherwise indicated, observations are generally made late in the afternoon, near sunset, and precipitation recorded is for the 24 hours ending at the time of observation. ***Precipitation measured in the morning; amount then recorded is for the preceding 24 hours. **Regular Weather Bureau station; precipitation is for the 24 hour period, midnight to midnight. *Precipitation included in the next following measurement. †Separate dates of all falls not recorded. T. Trace, or less than 0.01 inch.

COMPARATIVE DATA FOR SEPTEMBER.

Year	Temperature		Precipitation		Number of Days		Year	Temperature		Precipitation		Number of Days	
	Mean	Departure	Highest	Lowest	Average	Departure		Mean	Departure	Highest	Lowest	Average	Month
1887	72.2	-2.3	101	34	1,12	-2.98	2,61	0.12	4	1,23	26	54	T.
1888	69.6	-4.9	93	31	9,86	+5.76	17,90	5,26	13	1,32	21	74	T.
1889	72.1	-2.4	98	40	3,34	-0.76	7,37	1,46	5	1,32	21	74	T.
1890	72.9	-1.6</td											

Daily Temperatures for September, 1935.

Stations.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Mean.			
<i>Eastern Portion</i>																																			
Beaufort (near)	83	86	82	84	81	88	87	89	83	84	83	81	77	86	85	87	78	73	73	78	86	84	86	87	82	81	84	82	85	90	78	83.3			
	64	74	73	69	71	70	72	73	68	69	70	65	64	69	67	66	63	68	69	69	65	61	69	70	65	69	60	61	67	67	67	67.7			
Bishopville	83	84	85	87	77	86	87	85	86	80	87	67	79	83	84	83	79	75	79	84	88	81	77	79	89	89	82	83	78	69	69	80.8			
Blackville	86	86	88	84	77	89	90	87	89	81	73	71	82	87	89	90	78	73	73	78	84	86	84	87	81	84	86	87	91	87	77	84.6			
Charleston	83	84	83	84	83	89	90	85	87	83	77	71	79	83	84	86	86	76	77	78	84	86	86	87	80	82	84	84	84	84	70	84.7			
Cheraw	85	85	85	84	84	78	85	90	87	89	72	68	70	86	84	90	88	75	77	81	89	90	92	87	80	84	84	79	85	78	69	82.8			
Conway	64	69	67	71	72	70	69	67	60	58	60	58	58	60	62	61	64	64	62	64	57	56	61	66	64	49	56	61	64	64	64	62.5			
	86	87	90	88	83	91	93	85	90	89	70	69	83	86	88	88	78	79	77	86	90	88	85	78	82	83	85	85	85	83	72	83.0			
	62	62	71	73	73	75	73	68	66	64	63	53	60	60	67	64	65	68	67	59	65	63	69	70	67	64	64	64	64	64	65.2				
Darlington §§	85	90	90	88	79	91	93	90	90	70	69	69	85	99	92	90	71	77	82	90	95	93	87	82	85	87	86	87	80	73	74	84.5			
	62	69	62	72	73	71	73	74	70	69	62	64	59	57	59	63	60	61	69	63	65	53	50	54	61	68	66	39	49	49	63.1				
Estill	89	90	87	78	90	95	98	87	86	80	75	78	85	89	90	78	74	83	89	90	89	83	84	86	86	87	85	86	87	89	77	85.7			
Ferguson §§	85	85	84	86	79	90	90	86	86	81	72	80	83	87	88	89	71	78	80	85	92	92	87	81	84	84	84	84	84	84	84	83.8			
Florence 1	62	64	63	64	73	72	73	69	71	64	63	57	58	65	64	65	65	62	64	61	63	61	58	64	65	64	64	64	64	64	64	64.1			
Garnett	85	86	85	88	77	84	91	90	89	82	72	68	81	85	87	88	76	74	79	84	92	89	83	85	85	85	85	85	85	85	85	82.1			
	63	66	70	72	72	71	70	72	70	65	60	58	62	64	61	65	66	64	61	65	58	51	51	64	67	66	50	50	50	50	63.4				
Georgetown	81	83	87	83	90	88	85	87	83	73	72	70	79	82	84	84	76	77	74	85	89	83	83	84	84	84	84	84	84	84	84	81.7			
Kingstree	64	63	75	76	74	73	69	67	65	66	64	61	63	67	63	66	68	61	65	66	61	54	54	54	54	54	54	54	54	54	54	64.8			
Marion §§	88	90	90	88	79	91	93	90	90	70	69	69	85	99	92	90	71	77	82	90	95	93	87	82	85	87	86	87	86	87	86	84.1			
	62	61	62	60	62	74	76	70	65	63	61	63	60	57	58	63	60	63	66	68	66	53	53	60	66	66	51	51	51	51	51	63.4			
Orangeburg	85	84	84	84	75	87	89	83	87	77	68	65	79	83	87	86	79	73	77	81	89	83	83	77	81	82	82	85	85	86	86	81.7			
Society Hill §§	87	87	89	90	81	91	93	92	93	89	69	67	70	86	92	97	86	78	81	89	95	94	87	80	85	86	87	87	85	85	85	84.5			
Summerville §§	88	83	87	83	79	91	88	87	82	86	70	67	78	81	87	87	86	74	74	85	87	87	87	80	85	85	85	85	85	85	81.8				
Sumter	65	65	74	74	73	72	73	72	69	72	67	65	63	62	61	62	63	67	65	65	64	64	64	64	64	64	64	64	64	64	66.5				
	88	87	87	87	81	90	91	88	89	85	69	67	81	85	88	88	82	75	80	88	91	91	86	81	83	84	85	85	85	85	83.9				
Wedgefield	86	86	88	87	79	88	88	87	87	80	85	69	85	84	87	87	82	74	74	82	93	90	88	78	82	85	85	85	85	85	83.4				
Yemassee	62	59	68	69	72	69	71	71	71	67	65	67	65	64	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62.9			
	88	89	89	84	88	79	90	91	91	86	87	74	71	77	86	87	90	76	73	78	80	89	87	83	85	86	88	84	83	77	84.3				
<i>Western Portion</i>																																			
Aiken	85	87	86	86	78	85	90	90	87	87	70	70	82	86	87	88	87	76	80	86	88	85	80	81	83	80	85	80	80	80	83.9				
	67	69	69	72	72	68	68	66	66	70	69	62	61	60	65	64	65	63	66	68	64	64	65	65	65	65	65	65	65	65	65.6				
Anderson	81	83	81	85	78	84	84	86	88	76	75	75	82	85	87	88	86	76	81	88	90	91	90	84	76	78	82	84	83	74	81.9				
Caesars Head	70	73	73	76	70	76	76	79	73	69	66	69	76	72	77	79	77	70	75	80	82	83	75	76	76	76	76	76	76	76	76	74.0			
Calhoun Falls	64	67	60	64	65	59	61	61	64	57	54	53	55	61	61	64	58	57	58	61	66	66	62	65	64	64	64	64	64	64	64	62.7			
Cameron §§	88	87	87	89	80	90	90	90	89	89	75	75	85	88	91	91	89	79	72	84	90	94	95	87	81	83	88	86	86	86	84.3				
Clemson College	63	63	62	62	71	73	64	64	68	63	60	60	60	65	62	62	63	62	67	63	62	63	62	63	62	62	62	62	62	62	63.3				
Columbia	85	83	88	82	87	88	89	81	75	80	75	83	87	83	87	87	78	82	87	92	93	85	78	82	80	88	80	80	80	80	82.7				
	62	62	68	72	73	65	61	68	64	61	61	51	57	56	59	63	60	65	66	64	59	59	64	64	64	64	64	64	64	64	59.8				
Columbia	85	83	88	87	77	89	91	90	89	74	62	62	65	62	65	64	67	74	74	82	87	92	93	85	78	82	80	80	80	80	85.4				
Greenville, W.	61	64	70	72	72	71	65	71	70	63	60	60	59	62	61	61	65	64	61	67	67	69	64	62	65	65	65	65	65	65	65.5				
	63	64	65	68	71	67	64	64	68	63	60	60	60	65	64	65	63	65	64	67	67	69	64	62	65	65	65	65	65	65	65.6				
Greenwood §§	85	86	85	87	76	87	89	89	89	70	69	75	87	89	88	88	73	74	82	90	92	95	87	81	83	80	85	82	75	80	83.8				
	64	62	65	69	73	66	66	66	66	6																									